AUTHOR INDEX

Angermeyer, M.C., 88
Austin, J.K., 79
Averill, J.B., 143

Broome, M.E., 60

Canty-Mitchell, J., 79
Choi, H., 235
Clements, P.T., 143
Coffey-Love, M., 185
Cox, T.S., 228

D'Antonio, P., 11
Day, P.O., 164,170
Dearing, K.S., 155
Dietrich, S., 88
Dobal, M.T., 68

Earlywine, A., 36

Farrell, S.P., 121
Forchuk, C., 17
Frutos, L., 185

Gerolamo, A.M., 203
Gonzales, L.C., 228
Gourley, G.K., 135
Guilbaud, P., 121

Halter, M.J., 178
Ham, E., 235
Hamera, E., 4
Heilemann, M.V., 185
Hess, S.G., 228
Hewitt, J.B., 60
Horton-Deutsch, S., 164, 170
Hsu, W.-C., 193

Jaffee, K., 79
Jewell, J., 17
Jones, S.L., 37, 77, 119

Kastelic, E.A., 228
Kim, H., 235
Krauss, J.B., 1, 153, 201
Kurlowicz, L.H., 215

Lai, H.-L., 193
Lee, D., 235
Lee, K., 235
Lewandowski, W., 97

Mahone, I.H., 121, 126
Mele, N., 135
Mink, S.P., 228
Morrison, E.F., 245
Murray, R.B., 215

Qi, R.A., 79

Reynolds, S.A., 60
Rose, L.E., 228

Schmid, M.W., 60
Schubert, J., 243
Steinnagel, L., 17
Stengler-Wenzke, K., 88
Sturm, B.A., 106
Summers, J.B., 116
Swartz, K.L., 228
Swigonski, N., 79

Thomas, J., 135
Torkelson, D.J., 68
Trosbach, J., 88
Tweedell, D., 17

Ugarriza, D.N., 39

Wineman, N.M., 26
Woods, S.J., 26
Wright, T., 4

Yakimo, R., 215

SUBJECT INDEX

Abuse
  trauma, posttraumatic stress disorder, symptom clusters, and physical health in postabused women, 26–34
Acute psychiatric nursing care
  inpatient, outcomes of, 203–214
Addiction
  beliefs of nursing students toward persons with alcohol problems, 35 (Letter)
Adolescent Depression Awareness Program, 228–234
Adolescents
  impact of managed behavioral health care on youth in juvenile justice system, 135–142
  survey of knowledge about depression, 228–234
Advanced practice psychiatric nursing
  psychiatric consultation-liaison nursing, evaluation of outcomes in, 215–227
Advocacy
  of call for transformation in New Freedom Commission on Mental Health Report, 37–38 (Editorial)
Aesthetic knowing
  patterns of knowing as a method of assessment and intervention for children exposed to family-member homicide, 143–150
Aggression, in psychiatric settings
  Nonviolent Crisis Intervention® training program, concerns about article on, 243–244 (Letter), 245–246 (Reply)
Alcohol abuse
  beliefs of nursing students toward persons with problems with, 35 (Letter)
Archives of Psychiatric Nursing
  demands on readers of, 153–154 (Editorial)

Behavioral health disorders
  impact of managed behavioral health care on youth in juvenile justice system, 135–142
  in low-income children with special health care needs, 79–87

Care-seeking
  for depression, stigma of, 176–184
Celebrating
  in nurse-patient relationship, and treatment compliance by patients with schizophrenia, 155–163
Childcare responsibilities
  as barrier to group therapy for women with postpartum depression, 39–48
Children
  exposed to family-member homicide, patterns of knowing as a method of assessment and intervention for, 143–150
  impact of managed behavioral health care on youth in juvenile justice system, 135–142
  with special health care needs, behavioral and mental health problems in low-income, 79–87
Chronic pain
  psychological factors in, 97–105
Client satisfaction
  of psychiatric consultation-liaison nursing interventions, 215–227
  outcomes of acute inpatient psychiatric care, 203–214
Clinical conferences, online
  for psychiatric nursing students, content and interaction in, 4–10
Cognitive therapy
  mindfulness-based
    description and empirical support for, 164–169
    for all phases of psychotherapy, and clinical case study, 170–177
Community health nursing, psychiatric
  ethics and care in, ethnographic study of, 106–115
  impact of managed behavioral health care on youth in juvenile justice system, 135–142
  Web technology for persons with serious mental illness, 121–125
Compliance, with treatment
  in patients with schizophrenia, impact of nurse-patient relationship on, 155–163
Computers, in psychiatric nursing
  online clinical conferences for psychiatric nursing students, content and interaction in, 4–10
  Web technology for persons with serious mental illness, 121–125
Conferences, online clinical
  for psychiatric nursing students, content and interaction in, 4–10
Consultation-liaison nursing, psychiatric
  evaluation of outcomes in, 215–227
Coping styles
  and psychological factors in chronic pain, 97–105
Cost outcomes
  of psychiatric consultation-liaison nursing interventions, 215–227
Crisis Prevention Institute
  Nonviolent Crisis Intervention® training program, concerns about article on, 243–244 (Letter), 245–246 (Reply)
Custody issues
  impact of managed behavioral health care on youth in juvenile justice system, 135–142

Decision making
  about medications, by persons with serious mental illness, 126–134
Depression
  major, effects of music on, in psychiatric inpatients, 193–199
  menopausal, structural model of in Korean women, 235–242
  perceived reasons for, among low-income women of Mexican descent, 185–192
  postpartum, group therapy and its barriers for women with, 39–48
  psychological factors in chronic pain, 97–105
  stigma of seeking care for, 178–184
  survey of adolescents' knowledge about, 228–234
Drugs, prescription
  Medicare Prescription Drug Benefit, psychiatric nurses' responsibility to assist patients with, 77–78 (Editorial)
  see also Medications

Economic issues
  cost of war, impact on psychiatric services, 119–120 (Editorial)

Education, in psychiatric nursing
content and interaction in online clinical conferences, 4–10
Elderly patients
Medicare Prescription Drug Benefit, psychiatric nurses' responsibility to assist patients with, 77–78 (Editorial)
Errata, 117
Ethics
and care in psychiatric community health nursing, psychiatric, ethnographic study of, 106–115
Ethnographic studies
of ethics and care in psychiatric community health nursing, 106–115
Evidence-based practice
what is the evidence for?, 201–202 (Editorial)

Families, of patients with mental illness
experience during recovery or nonrecovery from psychosis, 17–25
of patients with obsessive compulsive disorders, stigmatization of, 88–96
satisfaction with psychiatric consultation-liaison nursing interventions, 215–227
Forensic nursing
patterns of knowing as a method of assessment and intervention for children exposed to family-member homicide, 143–150
Friends Asylum for the Insane
historical case study of relationships, reality, and reciprocity with therapeutic environments, 11–16
Functional improvement
outcomes of acute inpatient psychiatric care, 203–214

"Getting It, Together" theory
nurse-patient relationship and treatment compliance for patients with schizophrenia, 155–163
Graduate degree programs
online clinical conferences in, content and interaction in, 4–10
Group therapy
and its barriers for women with postpartum depression, 39–48
Gruen Postpartum Depression Group
barrier to, 39–48

Health, physical
trauma, posttraumatic stress disorder, symptom clusters, and, in postabused women, 26–34
Hispanic women
perceived reasons for depression among low-income, 185–192
History, of psychiatric nursing
historical case study, relationships, reality, and reciprocity in, 11–16
Homicide, family-member
patterns of knowing as a method of assessment and intervention for children exposed to, 143–150
Hyponatremia
due to water intoxication in patients with schizophrenia
identifying at risk nursing home residents, 60–67
polydipsia screening tool to prevent, 49–59

Inpatient psychiatric care
acute, outcomes of, 203–214
effects of music on major depression in, 193–199
Integrity, scholarly
responsibility of authors, 116 (Letter)
Interaction Model of Client Health Behavior
medication decision-making by persons with serious mental illness, 126–134
Interactions
in online clinical conferences for psychiatric nursing students, evaluation of, 4–10
Internet-based courses
online clinical conferences for psychiatric nursing students, content and interaction in, 4–10

Juvenile justice system
impact of managed behavioral health care on youth in, 135–142

Knowing
in "Getting It, Together" theory, and treatment compliance for patients with schizophrenia, 155–163
patterns of, as a method of assessment and intervention for children exposed to family-member homicide, 143–150
Korea
menopausal depression in women in, structural model of, 235–242

Latina women
perceived reasons for depression among low-income, 185–192
Legislation
Medicare Prescription Drug Benefit, psychiatric nurses' responsibility to assist patients with, 77–78 (Editorial)
Low income, *see* Socioeconomic factors

Major depressive disorder
effects of music on, in psychiatric inpatients, 193–199
Managed behavioral health care
impact on youth in juvenile justice system, 135–142
Medicare Prescription Drug Benefit
psychiatric nurses' responsibility to assist patients with, 77–78 (Editorial)
Medications
decision-making about, by persons with serious mental illness, 126–134
see also Drugs, pharmaceutical
Menopausal depression
structural model of in Korean women, 235–242
Mental health
New Freedom Commission on Mental Health Report
making sure call for transformation is heard, 37–38 (Editorial)
promises in, 1–3 (Editorial)
Mental health problems
in low-income children with special health care needs, 79–87
Mental illness
depression
major, effects of music on, in psychiatric inpatients, 193–199

menopausal, structural model of in Korean women, 235–242
perceived reasons for, among low-income women of Mexican descent, 185–192
postpartum, group therapy and its barriers for women with, 39–48
psychological factors in chronic pain, 97–105
stigma of seeking care for, 178–184
survey of adolescents' knowledge about, 228–234
obsessive compulsive disorder, experience of stigmatization by relatives of patients with, 88–96
psychosis, families' experience during recovery or nonrecovery from, 17–25
schizophrenia
influence of nurse-patient relationship on treatment compliance for patients with, 155–163
polydipsia screening tool for patients with, 49–59
identifying at risk nursing home residents, 60–67
serious
medication decision-making by persons with, 126–134
web technology for persons with, 121–125
Mexican descent
perceived reasons for depression among low-income women of, 185–192
Military personnel
costs of psychiatric needs during and after war, 119–120 (Editorial)
Mindfulness-based therapeutic interventions
description and empirical support for, 164–169
for all phases of psychotherapy, and clinical case study, 170–177
Music
effects on major depression in psychiatric inpatients, 193–199

New Freedom Commission on Mental Health Report
making sure call for transformation is heard, 37–38 (Editorial)
promises in, 1–3 (Editorial)
Nonviolent Crisis Intervention® training program
concerns about article on, 243–244 (Letter), 245–246 (Reply)
Normalizing
in nurse-patient relationship, and treatment compliance by patients with schizophrenia, 155–163
Nurse-patient relationship
influence on treatment compliance for patients with schizophrenia, 155–163
Nursing homes
identifying at risk residents using polydipsia screening tool, 60–67

Obsessive compulsive disorder
experience of stigmatization by relatives of patients with, 88–96
Online clinical conferences
for psychiatric nursing students, content and interaction in, 4–10
Outcomes
evaluation of, in psychiatric consultation-liaison nursing practice, 215–227
of acute inpatient psychiatric care, 203–214

Pain, chronic
psychological factors in, 97–105
Pain-related beliefs
psychological factors in chronic pain, 97–105
Personal knowing
patterns of knowing as a method of assessment and intervention for children exposed to family-member homicide, 143–150
Personality, pain-prone
psychological factors in chronic pain, 97–105
Physical health
trauma, posttraumatic stress disorder, symptom clusters, and, in postabused women, 26–34
Policy, mental health
New Freedom Commission on Mental Health Report
making sure the call for transformation is heard, 37–38 (Editorial)
promises in, 1–3 (Editorial)
Polydipsia
screening tool for
identifying at risk nursing home residents, 60–67
use in patients with schizophrenia, 49–59
Postpartum depression
group therapy and its barriers for women with, 39–48
Posttraumatic stress disorder
trauma, symptom clusters, and physical health in postabused women, 26–34
Prescription drugs
Medicare Prescription Drug Benefit, psychiatric nurses' responsibility to assist patients with, 77–78 (Editorial)
Psychiatric consultation-liaison nursing
evaluation of outcomes in, 215–227
Psychiatric facilities
sexual activity between residents of, policies on, 68–74
Psychiatric nursing
community health
ethics and care in, ethnographic study of, 106–115
impact of managed behavioral health care on youth in juvenile justice system, 135–142
Web technology for persons with serious mental illness, 121–125
mindfulness-based therapeutic interventions in
description and empirical support for, 164–169
for all phases of psychotherapy, and clinical case study, 170–177
Psychological factors
in chronic pain, 97–105
Psychosis
families' experience during recovery or nonrecovery from, 17–25
Psychotherapy
mindfulness-based interventions for all phases of, 170–177
Publishing, scholarly
responsibilities of authors in, 116 (Letter)

Readmission
outcomes of acute inpatient psychiatric care, 203–214
Reality
and reciprocity with therapeutic environments, in historical case study, 11–16

Recidivism
outcomes of acute inpatient psychiatric care, 203–214
Reciprocity
with therapeutic environments, in historical case study, 11–16
Recovery
from psychosis, families' experience during, 17–25
in New Freedom Commission on Mental Health Report, 1–3 (Editorial)
Rehospitalization
outcomes of acute inpatient psychiatric care, 203–214
Reimbursement issues
in ethics and care in psychiatric community health nursing, 106–115
Relationships
and reciprocity with therapeutic environments, in historical case study, 11–16
health care, in New Freedom Commission on Mental Health Report, 1–3 (Editorial)
Relationships, nurse-patient
influence on treatment compliance for patients with schizophrenia, 155–163

Satisfaction, client
of psychiatric consultation-liaison nursing interventions, 215–227
outcomes of acute inpatient psychiatric care, 203–214
Schizophrenia
influence of nurse-patient relationship on treatment compliance for patients with, 155–163
polydipsia screening tool for patients with, 49–59
identifying at risk nursing home residents, 60–67
Scholarly integrity
responsibility of authors, 116 (Letter)
Screening tool
for polydipsia
identifying at risk nursing home residents, 60–67
use in patients with schizophrenia, 49–59
Seeking care
for depression, stigma of, 176–184
Self-injury
outcomes of acute inpatient psychiatric care, 203–214
Serious mental illness, *see* Mental illness
Sexual activity
between residents of psychiatric facilities, making decisions about sexual rights, 68–74
Socializing
in nurse-patient relationship, and treatment compliance by patients with schizophrenia, 155–163
Socioeconomic factors
behavioral and mental health problems in low-income children with special health care needs (CSHCN), 79–87
perceived reasons for depression among low-income women of Mexican descent, 185–192
Sociopolitical knowing
patterns of knowing as a method of assessment and intervention for children exposed to family-member homicide, 143–150
Staff satisfaction
of psychiatric consultation-liaison nursing interventions, 215–227
Staff training
Nonviolent Crisis Intervention® training program, concerns about article on, 243–244 (Letter), 245–246 (Reply)
Stigma
of seeking care for depression, 176–184
Stigmatization
experience of, by relatives of patients with obsessive compulsive disorders, 88–96
Students, psychiatric nursing
beliefs of, toward persons with alcohol problems, 35 (Letter)
evaluation of content and interaction in online clinical conferences, 4–10
Substance abuse
beliefs of nursing students toward persons with alcohol problems, 35 (Letter)
Suicide
outcomes of acute inpatient psychiatric care, 203–214
survey of adolescents' knowledge about depression and, 228–234

Transformation, of mental health system
in New Freedom Commission on Mental Health Report
making sure the call is heard, 37–38 (Editorial)
promises in, 1–3 (Editorial)
Trauma
and psychological factors in chronic pain, 97–105
posttraumatic stress disorder, symptom clusters, and physical health in postabused women, 26–34

Violence
patterns of knowing as a method of assessment and intervention for children exposed to family-member homicide, 143–150
Violence, in psychiatric settings
Nonviolent Crisis Intervention® training program, concerns about article on, 243–244 (Letter), 245–246 (Reply)

War
psychiatric cost of, 119–120 (Editorial)
Water intoxication
life-threatening, polydipsia screening tool to prevent, 49–59
use in at risk nursing home residents, 60–67
Web technology
for persons with serious mental illness, 121–125
online clinical conferences for psychiatric nursing students, evaluation of content and interaction in, 4–10
Women
low-income, of Mexican descent, perceived reasons for depression among, 185–192
menopausal depression in Korean, structural model of, 235–242
postpartum depression, group therapy and its barriers for, 39–48
trauma, posttraumatic stress disorder, symptom clusters, and physical health in postabused, 26–34

Youth
in juvenile justice system, impact of managed behavioral health care on, 135–142